Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20050179359").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/08 20:09
S2 :	0	("2005/0179359").URPN.	USPAT	OR	ON	2006/01/08 20:38
S3	14	((Fran near2 Yui-Shin) (Yang near2 Jer-Shien) (Chen near2 Lai-Cheng)).in.	USPAT	OR	ON	2006/01/08 20:39
S4	38	((Fran near2 Yui-Shin) (Yang near2 Jer-Shien) (Chen near2 Lai-Cheng)).in.	US-PGPUB; USPAT	OR	ON	2006/01/08 20:39
S5	1	S4 and tolerance	US-PGPUB; USPAT	OR	ON	2006/01/08 20:44
S6	4159	(((Fluorescent with (lamp light back\$light)) and (cold near cathode)) CCFFL)	US-PGPUB; USPAT	OR	ON	2006/01/08 20:47
S7	6021	(((Fluorescent with (lamp light back\$light)) and (cold near cathode)) CCFFL)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/08 20:46
S8	8354	((((((EL electro\$3luminesc\$4) luminescen\$2 photo\$3luminescen\$3 phosphorescence phosphor fluorescent electro\$3luminescent electro\$luminescen\$3 light\$emitting light\$emission light\$emissive ((Fluorescent with (lamp light back\$light)) (light near3 (emitting emission emissive)))) with (lamp light back\$light)) and (cold near cathode)) CCFFL))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/08 21:51
S9	. 21	S8 and (projection protrusion pillar partition protuberance spacer rampart rib ridge bank barrier bulkhead wall (support\$3 near (element member structure wall))) same (height amount measure\$4 dimension length depth proportion extension size portion edifice taller higher heighten elevate vertical) same (tolerance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/08 21:52
S10	8	S9 and (xenon (Xe) neon (Ne) argon (Ar) inert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 21:38

S11	11	("cold cathode fluorescent flat lamp") and (xenon (Xe) neon (Ne) argon (Ar) inert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 21:50
S12	22	("cold cathode fluorescent flat lamp")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 21:50
S13	37	("cold cathode fluorescent flat lamp" ccffl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 21:50
S14	2	S13 and tolerance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/08 21:51
S15	10517	((((FED (field near (emitting emission)) ((Fluorescent with (lamp light back\$light)) (light near3 (emitting emission emissive))) with (lamp light back\$light)) and (cold near cathode)) CCFFL))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON ⁻	2006/01/08 21:52
S16	36	S15 and (projection protrusion pillar partition protuberance spacer rampart rib ridge bank barrier bulkhead wall (support\$3 near (element member structure wall))) same (height amount measure\$4 dimension length depth proportion extension size portion edifice taller higher heighten elevate vertical) same (tolerance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/08 21:53
S17	16	S16 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/08 21:53
S18 [']	1	("6,787,981").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/09 09:20
S19	6	("4920298" "4978888" "5461279" "6034470" "6255782").PN. OR ("6787981"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 09:21

S20	6	("5990617" "6479933" "6747409" "6787981" "6800010" "6821178").PN. OR ("6967433"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 09:24
S21	48	("2317265" "3508103" "3858284" "3928786" "4117368" "4174523" "4622492" "4743799" "4767965").PN. OR ("4920298").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 09:35